



# PRODUCT SAFETY INFORMATION SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: RT/duroid® 6202, 6202PR

CHEMICAL FAMILY: Fluoropolymer Composite Material

HMIS RATING: H 1 F 1 R 0

USE OF ARTICLE: Circuit Board Material

DATE ISSUED: 08/17/2020

COMPANY/UNDERTAKING IDENTIFICATION: Rogers Corporation  
100 South Roosevelt Avenue  
Chandler, AZ 85226  
Phone: 001-480-961-1382  
Email: msdsinfo@Rogerscorporation.com

CHEMTREC: 800-424-9300 (U.S. & Canada) (24 Hours)  
001-703-527-3887 (International – Call Collect) (24 Hours)

## 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE

LABELING REQUIREMENTS: NE

EFFECTS OF OVEREXPOSURE: None anticipated with normal handling. Machining may cause dusting. Processing material at temperatures exceeding decomposition temperature may release toxic fumes.

INHALATION: Dusts may cause respiratory irritation. Exposure to copper fume or PTFE decomposition products may cause symptoms of metal or polymer fume fever. This is characterized by flue-like symptoms (fever, chills, muscle aches) that last about 24 hours.

EYE CONTACT: Dust may cause irritation. Flush eyes with water and seek medical attention if necessary.

SKIN CONTACT: Dust may cause irritation. Wash thoroughly with soap and water.

INGESTION: None known.

CHRONIC: None known

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an “article” as defined in 20 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

| <u>Chemical Name</u> | <u>CAS No.</u> | <u>EINECS<br/>/ELINCS</u> | <u>%</u> | <u>OSHA PEL</u> | <u>ACGIH<br/>TLV</u> | <u>China<br/>OEL</u> | <u>EU<br/>Classification</u> |
|----------------------|----------------|---------------------------|----------|-----------------|----------------------|----------------------|------------------------------|
|----------------------|----------------|---------------------------|----------|-----------------|----------------------|----------------------|------------------------------|

#### 4. FIRST-AID MEASURES

|                      |  |
|----------------------|--|
| INHALATION:          | Remove to fresh air. Obtain medical attention if symptoms persist.   |
| EYE CONTACT (Dust):  | Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist. |
| SKIN CONTACT (Dust): | Wash area of contact thoroughly with soap and water. Consult a physician if irritation persists.           |
| INGESTION:           | Not a likely route of exposure. Seek medical attention symptomatically.                                    |

#### 5. FIRE-FIGHTING MEASURES

|                                     |   |                   |                          |    |     |    |
|-------------------------------------|---|-------------------|--------------------------|----|-----|----|
| FLASH POINT:                        | NE °C (°F)  | Flammable Limits: | LEL                      | NA | UEL | NA |
| AUTOIGNITION TEMPERATURE:           | NE °C (°F)  |                   |                          |    |     |    |
| EXTINGUISHING MEDIA:                | <u>X</u> Water Spray  | <u>X</u> Foam     | <u>X</u> CO <sub>2</sub> |    |     |    |
|                                     | <u>X</u> Dry Chemical   | Other –           |                          |    |     |    |
| SPECIAL FIRE FIGHTING PROCEDURES:   | Firefighters should be equipped with self-contained breathing apparatus and turnout gear. |                   |                          |    |     |    |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: | Decomposition in a fire may produce toxic fumes.  |                   |                          |    |     |    |

#### 6. ACCIDENTAL RELEASE MEASURES

|                            |   |
|----------------------------|---|
| PERSONAL PRECAUTIONS:      | Do not smoke or keep smoking materials in areas where material is machined or excessive dusting occurs. Wash thoroughly before eating or smoking. Polymer particles can reach decomposition temperatures during smoking and may cause symptoms or Polymer Fume Fever. |
| ENVIRONMENTAL PRECAUTIONS: | NA  |
| CLEANING METHODS:          | None specified  |

#### 7. HANDLING AND STORAGE

|           |                                       |
|-----------|---------------------------------------|
| HANDLING: | NA                                    |
| STORAGE:  | Keep in a cool, well-ventilated area. |

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

|                         |   |
|-------------------------|---|
| RESPIRATORY PROTECTION: | If mechanical ventilation is absent or inadequate to maintain exposure levels below those listed in Section 2, use appropriate NIOSH/MSHA approved respirators. |
|-------------------------|---|

## VENTILATION

LOCAL:

Use local exhaust in operations that create airborne dust or where material is heated above 500°F. Local exhaust is recommended in all heating operations where fumes are emitted.

GENERAL:

Recommended for all industrial operations.

## PERSONAL PROTECTION

HAND:

Gloves to avoid skin contact.

EYE:

Safety glasses with side-shields are recommended in all industrial operations

SKIN:

None Required

OTHER:

Safety shower/eyewash in the area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                            |  |
|----------------------------|--|
| APPEARANCE:                | Gray or White Sheet – Clad with Copper |
| ODOR:                      | NA                                     |
| PHYSICAL STATE:            | Solid                                  |
| BOILING POINT:             | NA °C (°F)                             |
| MELTING POINT:             | NE °C (°F)                             |
| FREEZING POINT:            | NA °C (°F)                             |
| FLASH POINT:               | NE °C (°F)                             |
| WATER SOLUBILITY:          | In-Soluble                             |
| VAPOR DENSITY:             | NA                                     |
| VAPOR PRESSURE:            | NA                                     |
| SPECIFIC GRAVITY:          | 2.1                                    |
| PARTITION COEFFICIENT:     | NA                                     |
| EVAPORATION RATE:          | NA                                     |
| RELATIVE DENSITY:          | NA                                     |
| VISCOSITY:                 | NA                                     |
| AUTO-IGNITION TEMPERATURE: | NA °C (°F)                             |
| DECOMPOSITION TEMPERATURE: | NA °C (°F)                             |
| PH:                        | NA                                     |
| FLAMMABILITY:              | NA                                     |

## 10. STABILITY AND REACTIVITY

|                                   |                                     |          |                                    |  |
|-----------------------------------|-------------------------------------|----------|------------------------------------|--|
| STABLE                            | <input checked="" type="checkbox"/> | UNSTABLE | <input type="checkbox"/>           | Material begins to decompose very slowly above 500°F. Decomposition increases rapidly above 750°F and processing at these temperatures for prolonged periods of time is not recommended. |
| CONDITIONS TO AVOID:              |                                     |          |                                    | NE   |
| MATERIALS TO AVOID:               |                                     |          |                                    | NE   |
| HAZARDOUS POLYMERIZATION:         |                                     |          | <input type="checkbox"/> May Occur | <input checked="" type="checkbox"/> Does Not Occur   |
| HAZARDOUS DECOMPOSITION PRODUCTS: |                                     |          | See Section 5.                     |  |

## 11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS: NA

## 12. ECOLOGICAL INFORMATION

ECOTOXICITY: NA

### 13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL: None  
ENVIRONMENTAL TOXICITY DATA: NA  
WASTE DISPOSAL METHOD: **Do not incinerate.** Dispose of in landfill in accordance with applicable federal, state, provincial, and local laws and regulations.

### 14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated  
UN PROPER SHIPPING NAME: Not Regulated  
HAZARD CLASS (ES): Not Regulated  
PACKING GROUP: Not Regulated  
ENVIRONMENTAL HAZARDS: NE

### 15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:  
Canadian (DSL/NDSL): Listed  
Australian (ACIS): NE  
Korea (KECI): NE  
Japan (ENCS, MITI): NE  
China (SEPA): Article - exempt  
EU Directive 2002/95/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS directive.  
TSCA (Toxic Substances Control Act): All materials are listed or exempt from TSCA listing.  
CERCLA (Comprehensive Emergency Response, Compensation, and Liability Act): NA  
SARA TITLE III (Superfund Amendments and Reauthorization Act): NA  
311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

| <u>CAS #</u> | <u>CHEMICAL NAME</u> | <u>PERCENT BY WEIGHT</u> |
|--------------|----------------------|--------------------------|
| NA           | NA                   | NA                       |

### 16. OTHER INFORMATION

NA = Not Applicable  
NE = Not Established  
NC = Not Classified

FILE: 99167-RT6202 PSIS-08172020  
PREPARED BY: Corporate EHS  
REVIEWED BY: Corporate EHS

Date Prepared: 08/17/2020

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.