

PRODUCT SAFETY INFORMATION SHEET

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

1.

2.

TRADE NAME:	COOLSPAN® Thermally & Electrically Conductive Adhesive (TECA)		
HMIS RATING:	H 1 F 1 R 0		
USE OF ARTICLE	Used in Heat Transfer		
DATE ISSUED:	August 14, 2020		
COMPANY/UNDERTAKING IDENTIFICATION:	Rogers Corporation One Technology Drive Rogers, CT 06263-0188 Phone: 001-860-774-9605 Fax: 001-860-779-5778 Email: msdsinfo@rogerscorporation.com		
HAZARDS IDENTIFICATION			
CLASSIFICATION OF THE MATERIAL: LABELING REQUIREMENTS: EFFECTS OF OVEREXPOSURE:	NE NE None are expected with normal handling. Cutting and other finishing operations may create silver dust. Ventilation and personnel protection should be similar to		
INHALATION:	all operations generating nuisance dust. Dust may cause respiratory irritation. Remove to fresh air and seek medical attention if necessary.		
EYE CONTACT:	Dust may cause irritation. Flush eyes with water and seek medical attention if necessary.		
SKIN CONTACT: INGESTION: CHRONIC:	Dust may cause irritation. Wash thoroughly with soap and water. If ingested, seek medical attention. May cause indigestion.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

Chemical Name	CAS No.	<u>EINECS</u> /ELINCS	<u>%</u>	OSHA PEL	<u>ACGIH</u> TLV	<u>China</u> <u>OEL</u>	<u>EU</u> Classification
Silver	7440-22-4	231-131-3	>60%	0.01 mg/m ³	0.1 mg/m ³	NE	Not Classified According to 67/548/EC
Proprietary Epoxy Resin	Proprietary	Proprietary	<40%	NA	NA	NE	Not Classified According to 67/548/EC

4. FIRST-AID MEASURES

	FIRST-AID WEASURES						
	INHALATION:	NHALATION: Remove to fresh air. Obtain medical attention if symptoms persist.					
	EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.					
	SKIN CONTACT:	Immediately take off all contaminated clothing and flush area with water for 15 to 20 minutes. Obtain medical attention if symptoms persist.					
	INGESTION:	Do not induce vomiting. Rinse mouth with water. Obtain medical attention.					
5.	FIRE-FIGHTING MEASURES						
	FLASH POINT: AUTOIGNITION TEMPERATURE:	NE °C (°F) Flammable Limits: LEL <u>NA</u> UEL <u>NA</u> NE °C (°F)					
	EXTINGUISHING MEDIA:	X Water Spray X Foam X CO ₂ X Dry Chemical X Other –					
	SPECIAL FIRE FIGHTING PROCEDURES:	Decomposition in a fire may produce toxic fumes. Firefighters should be equipped with self-contained breathing apparatus and turnout gear.					
	UNUSUAL FIRE AND EXPLOSION HAZARDS:	Low, when exposed to heat or flames. Can react with oxidizers produced in fire and carbon monoxide					
6. ACCIDENTAL RELEASE MEASURES							
	PERSONAL PRECAUTIONS:	Wear suitable protective equipment. Do not breathe dust. Avoid contact with					
	ENVIRONMENTAL PRECAUTIONS: CLEANING METHODS:	skin and eyes. Prevent from entering sewer system, surface water or soil. Sweep or shovel into appropriate container for disposal. Avoid creation of nuisance dust.					
7. HANDLING AND STORAGE							
	HANDLING:						
		Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling.					
	STORAGE:						
8.	STORAGE: EXPOSURE CONTROLS/PERS	and water after handling. Keep in a cool, well-ventilated area.					
8.		and water after handling. Keep in a cool, well-ventilated area. SONAL PROTECTION None needed under normal conditions. If material is heated and odors are					
8.	EXPOSURE CONTROLS/PERS	and water after handling. Keep in a cool, well-ventilated area. SONAL PROTECTION None needed under normal conditions. If material is heated and odors are noticeable and/or irritating a respirator meeting NIOSH requirements should be					

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: MELTING POINT: FREEZING POINT: FLASH POINT: WATER SOLUBILITY: VAPOR DENSITY: VAPOR PRESSURE: SPECIFIC GRAVITY: PARTITION COEFFICIENT: EVAPORATION RATE: RELATIVE DENSITY: VISCOSITY: AUTO-IGNITION TEMPERATURE: DECOMPOSITION TEMPERATURE: PH:	Solid NA °C (°F) NE °C (°F) NA °C (°F) NE °C (°F) In-Soluble NA NA 4.63 g/cm ³ NA NA NA NA NA NA NA NA NA NA NA NA NA
---	---

10. STABILITY AND REACTIVITY

STABLE X UNSTABLE

CONDITIONS TO AVOID: MATERIALS TO AVOID: HAZARDOUS POLYMERIZATION: HAZARDOUS DECOMPOSITION PRODUCTS: None known. None known. May Occur X Does Not Occur CO, CO₂, Oxides of nitrogen, and traces of incompletely burned carbon compounds.

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS:

None known.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Not expected to be acutely toxic to aquatic organisms.

13. DISPOSAL CONSIDERATION

 PHYSICAL/CHEMICAL
 PROPERTIES
 None

 AFFECTING DISPOSAL:
 NA

 ENVIRONMENTAL TOXICITY DATA:
 NA

 WASTE DISPOSAL METHOD:
 Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: UN PROPER SHIPPING NAME: HAZARD CLASS (ES): PACKING GROUP: ENVIRONMENTAL HAZARDS: Not Regulated Not Regulated Not Regulated Not Regulated NE

15. REGULATORY INFORMATION

16.

INTERNATIONAL REGULATIONS: Canadian (DSL/NDSL): Australian (ACIS): Korea (KECI): Japan (ENCS, MITI): China (SEPA)	Listed NE NE Article exempt
	Article – exempt.
EU Directive 2011/65/EC (RoHS):	Does not contain any intentionally added substances mentioned by the RoHS directive.
TSCA	All materials are listed or exempt from TSCA listing.
(Toxic Substances Control Act):	1 5
CERCLA	Silver CAS# 7440-22-4 RQ 1000 lbs.
(Comprehensive Emergency Response, Compensation, and Liability Act): SARA TITLE III	NA
(Superfund Amendments and Reauthorization Act): 311/312 HAZARD CATEGORIES:	None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS #	CHEMICAL NAME	PERCENT BY WEIGHT
7440-22-4	Silver	>60%
OTHER INFORMATION		

NA = Not Applicable	FILE:	99339-COOLSPAN TECA PSIS-08142020.doc
NE = Not Established		
NC = Not Classified	PREPARED BY:	Corporate EHS
Date Prepared: August 14, 2020	REVIEWED BY:	Corporate EHS

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.