

PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: CuClad® 6250 Bonding Film

CHEMICAL FAMILY: Proprietary Thermoplastic Film

HMIS RATING: H 1 F 1 R 0

USE OF ARTICLE Bonding Stripline Circuitry

DATE ISSUED: December 7, 2022

COMPANY/UNDERTAKING Rogers Corporation

IDENTIFICATION: 1100 Governor Lea Rd

Bear, DE 19701

Phone: 001-800-635-9333 Fax: 001-302-834-2940

Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE NE

MATERIAL:

LABELING REQUIREMENTS: NE

EFFECTS OF OVEREXPOSURE: None expected with normal handling. Processing material at temperatures

exceeding decomposition temperature may release toxic fumes.

INHALATION: No hazards resulting from the material as supplied.

EYE CONTACT: No hazards resulting from the material as supplied. Flush eyes with water

and seek medical attention if necessary.

SKIN CONTACT: No hazards resulting from the material as supplied. INGESTION: No hazards resulting from the material as supplied.

CHRONIC: NE

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 29 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

Chemical Name	CAS No.	EINECS /ELINCS	<u>%</u>	OSHA PEL	ACGIH TLV
Thermoplastic film	Proprietary		100	NA	NA

4. FIRST-AID MEASURES

INHALATION: Film dusts resulting from processing operations could causes respiratory

irritation. Remove to fresh air. Obtain medical attention if symptoms persist.

EYE CONTACT: Contact with dust may causes irritation or corneal injury due to mechanical

action. Flush eyes with large amounts of water for 15 to 20 minutes. Obtain

medical attention if symptoms persist.

SKIN CONTACT: Immediately take off all contaminated clothing and flush area with water for 15

to 20 minutes. Obtain medical attention if symptoms persist.

INGESTION: NA

5. FIRE-FIGHTING MEASURES

FLASH POINT: NE °C (°F) Flammable Limits: LEL NA UEL NA

AUTOIGNITION TEMPERATURE: NE °C (°F)

EXTINGUISHING MEDIA: X Water Spray X Foam X CO₂

X Dry Chemical X Other –

SPECIAL FIRE FIGHTING

PROCEDURES:

Decomposition in a fire may produce toxic fumes. Firefighters should be equipped with self-contained breathing apparatus and turnout gear. In case of fire, hazardous decomposition products that may be produced may include, but are not limited to, aldehydes, alcohols, hydrogen chloride, and organic

acids.

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

None known.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: In case of fire, toxic fumes are emitted. Wear suitable protective equipment.

Do not breathe dust. Eliminate sources of ignition. Avoid contact with skin

and eves.

ENVIRONMENTAL PRECAUTIONS:

CLEANING METHODS:

Prevent from entering sewer system, surface water, or soil.

Sweep or shovel into appropriate container for disposal. Avoid creation of

nuisance dust.

7. HANDLING AND STORAGE

HANDLING: Wear suitable protective equipment, refer to Section 8.

STORAGE: Keep in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: None needed under normal conditions. If material is heated and odors are

noticeable and/or irritating, a respirator, meeting NIOSH requirements, should be used. A qualified individual should evaluate each situation.

VENTILATION

LOCAL: GENERAL: Recommended for all industrial operations. Recommended for all industrial operations.

PERSONAL PROTECTION

HAND: Gloves to avoid skin contact if desired.

2 of 4

	EYE: SKIN: OTHER:	Safety glasses with side-shields are recommended in all industrial operations None Required Safety shower/eyewash in the area.			
	OTHER.	Salety Shower/eyewash in the area.			
9.	PHYSICAL AND CHEMICAL PROPERTIES				
	APPEARANCE: ODOR: PHYSICAL STATE: BOILING POINT: MELTING POINT: FREEZING POINT: FLASH POINT: WATER SOLUBILITY: VAPOR DENSITY: VAPOR PRESSURE: SPECIFIC GRAVITY: PARTITION COEFFICIENT: EVAPORATION RATE: RELATIVE DENSITY: VISCOSITY: AUTO-IGNITION TEMPERATURE: PH: FLAMMABILITY:	Clear film None Solid NA °C (°F) 102 °C NA °C (°F) NE °C (°F) In-Soluble NA			
10.	STABILITY AND REACTIVITY				
	STABLE X UNSTABLE CONDITIONS TO AVOID: MATERIALS TO AVOID: HAZARDOUS POLYMERIZATION: HAZARDOUS DECOMPOSITION PRODUCTS:	Heat, flames, and sparks. Keep away from direct sunlight. Avoid exposure to temperatures exceeding recommended processing conditions. Incompatible with aromatic amines, aromatic hydrocarbons, and halogenated hydrocarbons. May Occur X Does Not Occur Decomposition products that may be produced may include, but are not limited to, aldehydes, alcohols, hydrogen chloride, and organic acids.			
11.	TOXICOLOGICAL INFORMATION				
	CARCINOGENIC STATUS: ACUTE/CHRONIC: REPRODUCTIVE HAZARDS:	NE NE NE			
12.	ECOLOGICAL INFORMATION				
	ECOTOXICITY:	NE			
13.	DISPOSAL CONSIDERATION				
	PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL: ENVIRONMENTAL TOXICITY DATA:	None			

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable federal, state, provincial, and local

laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER:
UN PROPER SHIPPING NAME:
HAZARD CLASS (ES):
PACKING GROUP:
Not Regulated
Not Regulated
Not Regulated

ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL): Article - exempt
Australian (ACIS): Article - exempt
Korea (KECI): Article - exempt
Japan (ENCS, MITI): Article - exempt
China (IECSC) Article - exempt

TSCA All materials are listed or exempt from TSCA listing.

(Toxic Substances Control Act):

CERCLA NA

(Comprehensive Emergency Response, Compensation, and

Liability Act):

SARA TITLE III NA

(Superfund Amendments and

Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS #
NACHEMICAL NAME
NAPERCENT BY WEIGHT
NA

16. OTHER INFORMATION

NA = Not Applicable FILE: 99376-CuClad 6250 Bonding Film-12072022

NE = Not Established

NC = Not Classified PREPARED BY: Corporate EHS

REVIEWED BY: EHS Engineering

Date Prepared: 12/07/2022

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.