

PRODUCT SAFETY INFORMATION SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: HMIS RATING: ENDUR ® C Elastomer Product

F 1

R

0

H 1

USE OF ARTICLE

DATE PREPARED:

May 20, 2021

Floats

COMPANY/UNDERTAKING IDENTIFICATION:

Rogers Corporation One Technology Drive P.O. Box 188 Rogers, CT 06263-0188 Phone: 001-860-774-9605 Fax: 001-860-779-5778 Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL:	NE
LABELING REQUIREMENTS:	NE
EFFECTS OF	May cause transient eye irritation. May cause skin irritation in sensitive individuals.
OVEREXPOSURE:	May cause nose or throat irritation, dizziness, and headache while grinding or cutting.
INHALATION:	Remove to fresh air – seek medical attention.
EYE CONTACT:	Flush eyes with copious amounts of water and seek medical attention.
SKIN CONTACT:	Wash thoroughly with soap and water.
INGESTION:	Not a likely route of exposure. Seek medical attention.
CHRONIC:	NE

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	<u>CAS No.</u>	<u>EINECS</u> /ELINCS	<u>%</u>	OSHA PEL	<u>ACGIH TLV</u>	<u>China OEL</u>
---------------	----------------	--------------------------	----------	----------	------------------	------------------

No Hazardous Ingredients

This material is produced as an "article" as defined in 29 CFR 1910.1200 and is therefore exempt from the Hazard Communication Standard. Since this material does not release chemicals and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required. This form is provided as a convenience to our customers.

4. FIRST-AID MEASURES

	INHALATION: EYE CONTACT: SKIN CONTACT: INGESTION:	Remove to fresh air. Obtain medical attention if symptoms persist. Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist. Immediately take off all contaminated clothing and flush area with water for 15 to 20 minutes. Obtain medical attention if symptoms persist. Not a likely route of exposure. If large amounts of processing dusts are ingested resulting in gastrointestinal discomfort, seek medical attention.		
5.	FIRE-FIGHTING MEASURES			
	FLASH POINT: AUTOIGNITION TEMPERATURE: EXTINGUISHING MEDIA:	NA Flammable Limits: LEL NE UEL NE NA X Water Spray X Foam X CO2 X Dry Chemical Other –		
	SPECIAL FIRE FIGHTING PROCEDURES: UNUSUAL FIRE AND EXPLOSION HAZARDS:	Firefighters should be equipped with self-contained breathing apparatus and turnout gear. Decomposition in a fire may produce toxic fumes. CO, CO ₂ , and oxides of nitrogen, HCN, traces of incompletely burned carbon compounds.		
6.	ACCIDENTAL RELEASE MEAS	URES		
	PERSONAL PRECAUTIONS:	Exhaust vapors and dust if crushing, grinding, or heating material. Avoid touching eyes while handling. Use of this product in received form will not present a health hazard.		
	ENVIRONMENTAL PRECAUTIONS:	Residual amounts of hydrogen sulfide may be emitted during machining. Over exposure is unlikely due to the irritating nature of hydrogen sulfide. Control of dust/vapors while machining or heating will ensure safety conditions.		
	CLEANING METHODS:	Pick up larger solid materials. Use broom and dust pan to collect smaller pieces. Dispose of properly.		
7.	HANDLING AND STORAGE			
	HANDLING:	Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling. Avoid processing conditions that release small particles of materials (10 micrometers or less).		
	STORAGE:	Keep container tightly closed in a dry, cool, and well-ventilated area.		
8.	ENGINEERING CONTROLS/PE	RSONAL PROTECTION		
	RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating, a respirator, meeting NIOSH requirements, should be used. A qualified individual should evaluate each situation.		
	VENTILATION LOCAL: GENERAL: PERSONAL PROTECTION	Recommended for all industrial operations. Recommended for all industrial operations.		
	HAND: EYE: SKIN: OTHER:	Gloves to protect hands. Safety glasses are recommended with all industrial operations. Any material that will prevent contact with material. Safety shower/eyewash in the area if there is possible tissue exposure to materials.		

2 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

STABLE X UNSTABLE			
CONDITIONS TO AVOID:	NE		
MATERIALS TO AVOID:	NE		
HAZARDOUS POLYMERIZATION:	May Occur	X Does Not Occur	
HAZARDOUS DECOMPOSITION	Decomposition in a fire may produce toxic fumes and carbon monoxide, carbon		
PRODUCTS:	dioxide, formaldehyde, and tra	aces of incompletely burned carbon compounds.	

11. TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC:	NE
REPRODUCTIVE HAZARDS:	NE
CARCINOGENIC STATUS:	NA

12. ECOLOGICAL INFORMATION

NA

13. DISPOSAL CONSIDERATION

ENVIRONMENTAL TOXICITY DATA:	NA
WASTE DISPOSAL METHOD:	Dispose of in accordance with applicable, federal, state, provincial, and local
	laws and regulations.
	Dispose of in accordance with applicable, federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: UN PROPER SHIPPING NAME: HAZARD CLASS (ES): PACKING GROUP: ENVIRONMENTAL HAZARDS: Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated

15. REGULATORY INFORMATION

INTERNATIONAL REGUALTIONS: Canadian (DSL/NDSL): Australian (ACIS): Korea (KECI): China (IECSC) Japan (ENCS, MITI): REACH Directive EU Directive 2011/65/EC (RoHS):	Listed Listed Article - Exempt Listed Material is Classified as an article. Does not contain any intentionally added substances mentioned by the RoHS directive.
TSCA (Toxic Substances Control Act):	All ingredients listed on TSCA or exempt. Materials is classified as and Article
CERCLA (Comprehensive Emergency Response, Compensation, and Liability Act):	NA
SARA TITLE III (Superfund Amendments and Reauthorization Act):	NA
311/312 HAZARD CATEGORIES:	None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS#	CHEMICAL NAME	PERCENT BY WEIGHT
NA	NA	NA

16. OTHER INFORMATION

NA = Not Applicable	FILE:	99146-Endur C PSIS -05202021.doc
NE = Not Established		99146
NC = Not Classified	PREPARED BY:	EHS Department
	REVIEWED BY:	EHS Engineering

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL