

PRODUCT SAFETY INFORMATION SHEET

OF SUBSTANCE/PREPARATION **IDENTIFICATION** THE 1. AND OF THE COMPANY/UNDERTAKING

Uncured Silicone Rubber Sheet TRADE NAME:

PRODUCT NUMBERS COVERED:

USE OF ARTICLE: Various applications

DATE ISSUED: 09/27/2018

COMPANY/UNDERTAKING

Rogers Corporation IDENTIFICATION: 1100 Governor Lead Rd

Bear, DE 19701 USA Phone: 01-302-834-2100 Fax: 01-302-834-4021

Email: msdsinfo@rogerscorporation.com

HAZARDS IDENTIFICATION 2.

CLASSIFICATION OF THE NE

MATERIAL:

LABELING REQUIREMENTS: NE

EFFECTS OF OVEREXPOSURE: None are expected with normal handling. However, machining or

grinding may cause dusting. Processing material at temperatures

exceeding decomposition temperatures may release toxic fumes.

Dust generated during machining or grinding may cause respiratory **INHALATION:**

irritation.

EYE CONTACT: Dust may cause irritation. SKIN CONTACT: Dust may cause irritation.

INGESTION: None known.

CHRONIC: NE

COMPOSITION/INFORMATION ON INGREDIENTS 3.

The materials are produced as an "article" as defined in 20 CFR 1910.1200 and REGULATION (EC) No 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

Chemical Name	CAS No.	<u>%</u>	OSHA PEL	ACGIH TLV
2,4-Dichlorobenzoyl peroxide a	133-14-2	0.1-5.0	NA	NA
Benzoyl peroxide a	94-36-0	0.1-5.0	5.0 mg/m ³	5.0 mg/m ³
2,5-dimethyl-2,5-di-(t-butylperoxy) hexane a	78-63-7	0.1-5.0	NĀ	NĀ

- a. Uncured silicone rubber sheets are supplied with one of three peroxides as curing agent.
- b. Octamethylcyclotetrasiloxane presents as an impurity in the silicone compound used for the product.

FIRST-AID MEASURES

INHALATION: Move to fresh air. Obtain medical attention if symptoms persist. **EYE CONTACT:** Flush eyes with large amounts of water for 15 to 20 minutes. Obtain

medical attention if symptoms persist.

SKIN CONTACT: Immediately take off all contaminated clothing and flush area with water

for 15 to 20 minutes. Obtain medical attention if symptoms persist.

INGESTION: Get medical attention.

5. FIRE-FIGHTING MEASURES

> FLASH POINT: NE °C (°F) Flammable **LEL UEL** NA NA

> > Limits:

AUTOIGNITION TEMPERATURE: NE °C (°F)

EXTINGUISHING MEDIA: X Water Spray X Foam X CO₂

X Dry Chemical Other

SPECIAL FIRE FIGHTING

Decomposition in a fire may produce toxic fumes. Firefighters PROCEDURES: should be equipped with self-contained breathing apparatus and

turnout gear.

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

Carbon monoxide, formaldehyde, silicon dioxide, metal oxides,

and incompletely burned carbon compounds.

6. **ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

CLEANING METHODS:

Use personal protective equipment recommended in section 8.

The material is not biodegradable.

Sweep or shovel into appropriate container for disposal. Use absorbent

to remove any residues.

7. HANDLING AND STORAGE

> HANDLING: Wear suitable protective equipment, refer to Section 8. Cure the product

> > only in ventilated areas. Avoid processes that liberate small particles.

such as machining or grinding.

STORAGE: Store material in original packaging away from excess heat. Store

away from strong acids, strong bases and strong oxidizers, sulfur and

amines.

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

RESPIRATORY PROTECTION: None needed under normal conditions. If material is heated and odors

> are noticeable and/or irritating a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate

each situation.

VENTILATION

LOCAL: **GENERAL:**

Recommended for all industrial operations. Recommended for all industrial operations.

PERSONAL PROTECTION

HAND:

Wear suitable disposable gloves.

EYE:

Safety glasses with side-shields are recommended in all industrial

operations.

SKIN: None Required

OTHER: Safety shower/eyewash in the area.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Supported silicone gum sheet (Various Colors)

ODOR: Characteristic silicone

PHYSICAL STATE: Solid
BOILING POINT: NA °C (°F)
MELTING POINT: NE °C (°F)
FREEZING POINT: NA °C (°F)
FLASH POINT: NE °C (°F)
WATER SOLUBILITY: In-Soluble

VAPOR DENSITY: NA VAPOR PRESSURE: NA

SPECIFIC GRAVITY: 1.0-2.0 (rubber only)

PARTITION COEFFICIENT:

EVAPORATION RATE:

RELATIVE DENSITY:

VISCOSITY:

NA

AUTO-IGNITION TEMPERATURE: NA °C (°F)
DECOMPOSITION TEMPERATURE: NA °C (°F)

PH: NA FLAMMABILITY: NA

10. STABILITY AND REACTIVITY

STABLE	Χ	UNSTABLE
--------	---	----------

CONDITIONS TO AVOID: Excess exposure to heat may cause premature polymerization of gum

to rubber.

MATERIALS TO AVOID: Exposure to sulfur and/or amines may inhibit the formation of

crosslinks.

HAZARDOUS POLYMERIZATION: May Occur X Does Not Occur

HAZARDOUS DECOMPOSITION CO, CO₂, formaldehyde, silicon dioxide, metal oxides, and traces of

PRODUCTS: incompletely burned carbon compounds.

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS: NA

12. ECOLOGICAL INFORMATION

ECOTOXICITY: NA

13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES None

AFFECTING DISPOSAL:

ENVIRONMENTAL TOXICITY DATA: NA

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable federal, state, provincial, and

local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated

UN PROPER SHIPPING NAME:

HAZARD CLASS (ES):

PACKING GROUP:

Not Regulated

Not Regulated

ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL):

Article - exempt
Australian (ACIS):

Korea (KECI):

Japan (ENCS, MITI):

China (IECSC):

Article - exempt
Article - exempt
Article - exempt
Article - exempt

EU Directive 2011/65/EC (RoHS): Product is in compliance with the European Directive 2011/65/EC on

Restriction on Hazardous Substances and the Chinese Administration Measure on the Control of Pollution Caused by Electronic Information.

EU REACH SVHC: SVHC octamethylcyclotetrasiloxane (D4) presents as impurity in the

silicone compounds used for the products.

TSCA All materials are listed or exempt from TSCA listing.

(Toxic Substances Control Act):

CERCLA NA

(Comprehensive Emergency Response,

Compensation, and Liability Act):

SARA TITLE III NA

(Superfund Amendments and

Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS #
94-36-0CHEMICAL NAME
Benzoyl PeroxidePERCENT BY WEIGHT
0.1-5.0

16. OTHER INFORMATION

NA = Not Applicable FILE: 99407 Uncured Silicone Rubber Sheet PSIS

09272018

NE = Not Established

NC = Not Classified PREPARED BY: Jianhua Zou REVIEWED BY: Michal Werbecki

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF. ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.