

Elastomeric Material Solutions www.rogerscorp.com

R/bak® Cushion Mounting Materials

> Effective: October 15, 2020 Supersedes: September 1, 2020

## R/bak® Cushion Mounting Materials – Product Availability and Order Policies – Corrugated

	Thickness		Available Widths x Length - US Units (Metric)								
Product	inch	mm	60 in. x 50 ft. (1.52m x 15.2m)	60 in. x 90 ft. (1.52m x 27.4m)	60 in. x 100 ft. (1.52m x 30.4m)	60 in. x 65 ft. (1.52m x 19.8m)	54 in. x 90 ft. (1.37m x 27.4m)	54 in. x 65 ft. (1.37m x 19.8m)	44 in. x 100 ft. (1.12m x 30.5m)	44 in. x 50 ft. (1.12m x 15.2m)	Color
SF	0.030	0.76			S				N		
	0.040	1.02		S					S		
	0.050	1.27							N		
	0.060	1.52		S					S		
	0.080	2.03				S			S		
	0.090	2.28				N			N		Blue
	0.095	2.39							N		blue
	0.100	2.54				S			S		
	0.120	3.05				S			S		
	0.140	3.56	N							N	
	0.150	3.81	S							N	
	0.160	4.06	S							S	
SS	0.120	3.05				S			S		Black
U	0.060	1.52							N		
	0.080	2.03							Ν		Blue
	0.100	2.54							S		Blue
	0.120	3.05							N		
U1A	0.100	2.54						S			Blue
	0.120	3.05						S			blue
Total Square Feet (Total Square Meters)			250 (23.23)	450 (41.80)	500 (46.45)	325 (30.19)	405 (37.63)	292 (27.22)	366 (34.08)	183 (17.00)	

Availability: S = Standard N = Non-Standard

See Page 2 for Order Policies and Product Descriptions

Elastomeric Material Solutions • Woodstock, CT, USA • T: 860.928.3622 • F: 860.928.3906 • www.rogerscorp.com

## Order Guidelines, Terms & Policies

Order Cancellation / Returns - Subject to a 15% restocking charge.

**Drop Shipment** - a 20% surcharge will be added to all drop shipment requests for orders below \$1,000 (US).

**Tolerances** - Length tolerance of rolls shipped is +/- 1% of ticketed length.

**Standard Item** - Shipment within three (3) weeks of order subject to availability and lead-time.

**Non-Standard Item** - Shipment within four (4) weeks of order subject to availability and lead-time.

**U1A Products** - Shipment within five (5) weeks of order subject to availability and lead-time.

## <u>Warranty</u>

When stored in the proper conditions outlined in **Publication #12-046 – R/bak<sup>®</sup> Materials Proper Store and Shelf Life Guidelines**, Rogers Corporation warrants a shelf life of two years from the date of purchase for Corrugated Cushion Mounting Materials.

**Special Requests:** Custom Widths or other special requirements will be handled on a case-by-case basis through the Request for Quotation (RFQ) process. Call Customer Service to submit your request, 800.755.6766 toll free or 860.928.3622 for International calls.

**Special Note** - Off-the-shelf stock may be available for non-standard products. There shall be no minimum order requirement for non-standard products shipped from existing inventory.

**Splices** - Rolls of material may include no more than one (1) splice to achieve total roll length.

Product	Description
R/bak® SF	General-purpose cushion for solids, line and process printing on corrugated substrates.
R/bak® SS	Soft modulus cushion is recommended for fine line multicolor process printing on corrugated substrates.
R/bak® U	Designed without a support/mount substrate, recommended for cylinder buildup, spot cushioning and spot coating.
R/bak® U1A	Unsupported foam with single sided acrylic adhesive, designed to bond directly to either PET or PVC carrier.

The information contained in this Product Availability is intended to assist you in using Rogers' R/bak Cushion Mounting Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Product Availability will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' R/bak Cushion Mounting Materials for each application. The Rogers logo, Helping power, protect, connect our world and R/bak are trademarks of Rogers Corporation or one of its subsidiaries. © 2001-2004, 2007, 2009, 2010, 2012, 2015, 2017, 2020 Rogers Corporation, All rights reserved. Printed in U.S.A., 1020-PDF, Publication #12-032